

DRIVER & FAIRWAY SHAFTS

ALDILA	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Ascent UL 40	R	8.2	47	High	At Once	No	+1.5" / -4"
	S	8.0	48	High	At Once	No	+1.5" / -4"

DUMINA							
							
autoFlex 305X	R3 (L flex)	6.2	41	High	Exotic	Yes	+1" / -4"
autoFlex 405	R2 (A flex)	6.2	45	High	Exotic	Yes	+1" / -4"
autoFlex 505	R	6.2	50	High	Exotic	Yes	+1" / -4"
autoFlex 505X	S	4.9	54	High	Exotic	Yes	+1" / -4"
autoFlex 505XX	X	4.9	57	High	Exotic	Yes	+1" / -4"
autoFlex Fwy 305	R3 (L flex)	6.2	40	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 405	R2 (A flex)	6.2	43	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 405X	R1 (A+ flex)	6.2	45	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 505	R	5.9	48	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 505X	S	5.9	53	High	Exotic	Yes	+2" / -4"

FUJIKURA							
							
Air Speeder 35	R4 (Jr. flex)	8.0	43.5	High	At Once	No	+2" / -2"
	R3 (L flex)	8.0	46	High	At Once	No	+2" / -3"
Air Speeder 40	R2 (A flex)	8.0	48.5	High	At Once	No	+1.5" / -4"
	R	7.5	49.5	High	At Once	No	+1.5" / -4"
	S	7.0	50.5	High	At Once	No	+1.5" / -4"

VENTUS 6-X Fujikura							
Ventus Blue VeloCore+ 6	S	3.3	65.5	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.1	66	Low/Mid	Exotic	Yes	+1" / -4"
Ventus Blue VeloCore+ 7	S	3.0	75.5	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.9	76	Low/Mid	Exotic	Yes	+1" / -4"
Ventus Blue VeloCore+ 8	X	2.8	85	Low/Mid	Exotic	Yes	+1" / -4"

DRIVER & FAIRWAY SHAFTS

14



Ventus Velocore Red+ 6	S	3.3	67.5	Mid	Exotic	Yes	+1" / -4"
	X	3.2	67.5	Mid	Exotic	Yes	+1" / -4"
Ventus Velocore+ Red+ 7	S	3.1	78	Mid	Exotic	Yes	+1" / -4"
	X	3	78	Mid	Exotic	Yes	+1" / -4"



Ventus Velocore Black+ 6	S	3.2	66	Low	Exotic	Yes	+1" / -4"
	X	3	66.5	Low	Exotic	Yes	+1" / -4"
Ventus Velocore Black+ 7	S	3	75	Low	Exotic	Yes	+1" / -4"
	X	2.9	75.5	Low	Exotic	Yes	+1" / -4"
Ventus Velocore Black+ 8	X	2.8	84	Low	Exotic	Yes	+1/-4



Ventus TR Black VeloCore 6	S	3.1	69	Low	Exotic	Yes	+1" / -4"
	X	2.9	70	Low	Exotic	Yes	+1" / -4"
Ventus TR Black VeloCore 7	S	2.8	79	Low	Exotic	Yes	+1" / -4"
	X	2.7	80	Low	Exotic	Yes	+1" / -4"



Ventus Black VeloCore 6	S	3.4	64	Low	Exotic	Yes	+1" / -4"
	X	3.1	65	Low	Exotic	Yes	+1" / -4"
Ventus Black VeloCore 7	S	3.1	77	Low	Exotic	Yes	+1" / -4"
	X	2.8	78	Low	Exotic	Yes	+1" / -4"
Ventus Black VeloCore 8	X	2.8	85	Low	Exotic	Yes	+1" / -4"



Ventus TR Blue VeloCore 5	R	3.5	58	Mid	Exotic	Yes	+1" / -4"
	S	3.3	58	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 6	S	3.1	68	Mid	Exotic	Yes	+1" / -4"
	X	2.9	68	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 7	S	2.9	77	Mid	Exotic	Yes	+1" / -4"
	X	2.7	78	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 8	S	2.8	86	Mid	Exotic	Yes	+1" / -4"
	X	2.6	88	Mid	Exotic	Yes	+1" / -4"

DRIVER & FAIRWAY SHAFTS

15



Ventus Blue VeloCore 6	S	3.1	65	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.1	65	Low/Mid	Exotic	Yes	+1" / -4"
Ventus Blue VeloCore 7	S	3.0	76	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.9	77.5	Low/Mid	Exotic	Yes	+1" / -4"
Ventus Blue VeloCore 8	X	2.8	86	Low/Mid	Exotic	Yes	+1" / -4"



Ventus TR Red VeloCore 5	R	3.5	59	Mid/High	Exotic	Yes	+1" / -4"
	S	3.3	59	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 6	R	3.4	67	Mid/High	Exotic	Yes	+1" / -4"
	S	3.2	68	Mid/High	Exotic	Yes	+1" / -4"
	X	3.0	69	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 7	S	3.0	77	Mid/High	Exotic	Yes	+1" / -4"
	X	2.8	78	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 8	X	2.7	89	Mid/High	Exotic	Yes	+1" / -4"



Ventus Red VeloCore 6	S	3.2	65	Mid/High	Exotic	Yes	+1" / -4"
	X	3.1	66	Mid/High	Exotic	Yes	+1" / -4"
Ventus Red VeloCore 7	S	3.1	71	Mid/High	Exotic	Yes	+1" / -4"
	X	3.1	72	Mid/High	Exotic	Yes	+1" / -4"

GRAPHITE DESIGN	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Tour AD CQ 5	R1	4.6	54	Mid/High	Exotic	Yes	+1" / -4"
	R2	4.6	53	Mid/High	Exotic	Yes	+1" / -4"
	S	4.5	56	Mid/High	Exotic	Yes	+1" / -4"
	X	4.5	59	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 6	SR	3.4	62	Mid/High	Exotic	Yes	+1" / -4"
	S	3.4	64	Mid/High	Exotic	Yes	+1" / -4"
	X	3.4	66	Mid/High	Exotic	Yes	+1" / -4"
	TX	3.4	68	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 7	S	3.2	73	Mid/High	Exotic	Yes	+1" / -4"
	X	3.2	74	Mid/High	Exotic	Yes	+1" / -4"
	TX	3.2	76	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 8	X	3.0	83	Mid/High	Exotic	Yes	+1" / -4"

DRIVER & FAIRWAY SHAFTS

							
Tour AD FI 5	R2	4.6	56	Mid	Exotic	Yes	+1" / -4"
	R1	4.5	57	Mid	Exotic	Yes	+1" / -4"
	S	4.5	57.5	Mid	Exotic	Yes	+1" / -4"
	X	4.5	60.5	Mid	Exotic	Yes	+1" / -4"
Tour AD FI 6	SR	3.2	64.5	Low/Mid	Exotic	Yes	+1" / -4"
	S	3.2	66.5	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.2	68	Low/Mid	Exotic	Yes	+1" / -4"
	TX	3.2	71	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD FI 7	S	2.9	75.5	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.9	78	Low/Mid	Exotic	Yes	+1" / -4"
	TX	2.9	79.5	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD FI 8	X	2.6	85	Low/Mid	Exotic	Yes	+1/-4

							
Tour AD VF 5	R2	4.3	55	Low/Mid	Exotic	Yes	+1" / -4"
	R1	4.3	55	Low/Mid	At Once	Yes	+1" / -4"
	S	4.3	56.5	Low/Mid	At Once	Yes	+1" / -4"
	X	4.3	59	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD VF 6	SR	3.3	64	Low/Mid	Exotic	Yes	+1" / -4"
	S	3.3	66.5	Low/Mid	At Once	Yes	+1" / -4"
	X	3.3	67	Low/Mid	At Once	Yes	+1" / -4"
	TX	3.3	68.5	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD VF 7	S	3.0	74	Low/Mid	At Once	Yes	+1" / -4"
	X	3.0	75.5	Low/Mid	At Once	Yes	+1" / -4"
	TX	3.0	77	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD VF 8	X	2.8	85	Low	Exotic	Yes	+1" / -4"

GRAPHITE DESIGN	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Tour AD DI-5	R2	4.7	54	Mid/High	Exotic	Yes	+1" / -4"
	R1	4.7	55	Mid/High	At Once	Yes	+1" / -4"
	S	4.7	57	Mid/High	At Once	Yes	+1" / -4"
Tour AD DI-6	SR	3.4	64	Mid	Exotic	Yes	+1" / -4"
	S	3.3	65	Mid	At Once	Yes	+1" / -4"
	X	3.3	67	Mid	At Once	Yes	+1" / -4"
Tour AD DI-7	S	3.2	73	Mid	At Once	Yes	+1" / -4"
	X	3.1	75	Mid	At Once	Yes	+1" / -4"
Tour AD DI-8	S	3.0	83	Low/Mid	At Once	Yes	+1" / -4"
	X	2.9	85	Low/Mid	At Once	Yes	+1" / -4"

DRIVER & FAIRWAY SHAFTS

17

Tour AD DI-6 (Black)	SR	3.4	64	Mid	Exotic	Yes	+1" / -4"
	S	3.3	65	Mid	Exotic	Yes	+1" / -4"
	X	3.3	67	Mid	Exotic	Yes	+1" / -4"
Tour AD DI-7 (Black)	S	3.2	73	Mid	Exotic	Yes	+1" / -4"
	X	3.1	75	Mid	Exotic	Yes	+1" / -4"
Tour AD DI-8 (Black)	S	3.0	83	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.9	85	Low/Mid	Exotic	Yes	+1" / -4"

Tour AD IZ-4	R2	5.6	46	Mid/High	Exotic	Yes	+1" / -4"
Tour AD IZ-5	R1	4.5	54	Mid/High	At Once	Yes	+1" / -4"
	S	4.4	56	Mid/High	At Once	Yes	+1" / -4"
	X	4.4	58	Mid/High	Exotic	Yes	+1" / -4"
Tour AD IZ-6	SR	3.2	62	Mid	Exotic	Yes	+1" / -4"
	S	3.2	63	Mid	At Once	Yes	+1" / -4"
	X	3.2	65	Mid	At Once	Yes	+1" / -4"
Tour AD IZ-7	S	3.1	72	Mid	At Once	Yes	+1" / -4"
	X	3.1	74	Mid	At Once	Yes	+1" / -4"
Tour AD IZ-8	S	2.9	82	Low/Mid	At Once	Yes	+1" / -4"
	X	2.9	83	Low/Mid	At Once	Yes	+1" / -4"

New Tour AD GC 5	R1	4.5	52.5	Mid/High	Exotic	Yes	+1" / -4"
	S	4.5	53	Mid/High	Exotic	Yes	+1" / -4"
New Tour AD GC 6	S	3.1	62	Mid	Exotic	Yes	+1" / -4"

Tour AD XC-4	R1	5.7	47	Mid/High	Exotic	Yes	+1" / -4"
	S	5.7	48	Mid/High	Exotic	Yes	+1" / -4"
Tour AD XC-5	R1	4.3	54	Mid/High	Exotic	Yes	+1" / -4"
	R2	4.2	54	Mid/High	Exotic	Yes	+1" / -4"
	S	4.2	56	Mid/High	Exotic	Yes	+1" / -4"
	X	4.2	58	Mid/High	Exotic	Yes	+1" / -4"
Tour AD XC-6	SR	3.2	62	Mid	Exotic	Yes	+1" / -4"
	S	3.2	64	Mid	Exotic	Yes	+1" / -4"
	X	3.2	65	Mid	Exotic	Yes	+1" / -4"
Tour AD XC-7	S	3.0	73	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.0	75	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD XC-8	S	2.8	83	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.8	83	Low/Mid	Exotic	Yes	+1" / -4"

MAX LENGTH FOR TSRI DRIVERS = 1/4" SHORTER THAN PUBLISHED | CALL FOR AVAILABILITY AND EXOTIC SHAFT LEAD TIMES | AVAILABILITY SUBJECT TO CHANGE

DRIVER & FAIRWAY SHAFTS

							
Tour AD HD 6	S	3.1	66	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.1	68	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD HD 7	S	2.9	74	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.9	76	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD HD 8	S	2.6	86	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.6	88	Low/Mid	Exotic	Yes	+1" / -4"

							
Tour AD UB 5	R2	4.4	54	Mid/High	Exotic	Yes	+1" / -4"
	R	4.4	56	Mid/High	At Once	Yes	+1" / -4"
	S	4.4	57	Mid/High	At Once	Yes	+1" / -4"
	X	4.4	59	Mid/High	Exotic	Yes	+1" / -4"
Tour AD UB 6	SR	3.2	63	Mid	Exotic	Yes	+1" / -4"
	S	3.2	65	Mid	At Once	Yes	+1" / -4"
	X	3.2	66	Mid	At Once	Yes	+1" / -4"
	TX	3.2	67	Mid	Exotic	Yes	+1" / -4"
Tour AD UB 7	S	3.0	74	Low/Mid	At Once	Yes	+1" / -4"
	X	3.0	75	Low/Mid	At Once	Yes	+1" / -4"
	TX	3.0	76	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD UB 8	S	2.8	82	Low/Mid	At Once	Yes	+1" / -4"
	X	2.8	83	Low/Mid	At Once	Yes	+1" / -4"
MCA	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
MTT SpeedMesh 40	R2	8.4	44	High	At Once	No	+1.5" / -4"
	R	7.9	46	High	At Once	No	+1.5" / -4"
	S	7.1	48	High	At Once	No	+1.5" / -4"
MTT SpeedMesh 35	R3	8.5	41	High	At Once	No	+1.5" / -4"

							
Tensei 1K Blue 55g	R2	5.3	55	Mid	At Once	No	+1.5" / -4"
	R	5.2	57	Mid	At Once	No	+1.5" / -4"
	S	4.7	59	Mid	At Once	No	+1.5" / -4"
	X	4.4	61	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 65g	R	4.4	63	Mid	At Once	No	+1.5" / -4"
	S	3.9	65	Mid	At Once	No	+1.5" / -4"
	X	3.4	66	Mid	At Once	No	+1.5" / -4"
	TX	3.2	67	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 75g	S	3.9	75	Mid	At Once	No	+1.5" / -4"
	X	3.4	76	Mid	At Once	No	+1.5" / -4"
	TX	3.0	77	Mid	At Once	No	+1.5" / -4"

MAX LENGTH FOR TSR1 DRIVERS = 1/4" SHORTER THAN PUBLISHED | CALL FOR AVAILABILITY AND EXOTIC SHAFT LEAD TIMES | AVAILABILITY SUBJECT TO CHANGE

DRIVER & FAIRWAY SHAFTS

							
Tensei 1K Black 65	S	3.6	67	Low	At Once	No	+1.5" / -4"
	X	3.5	68	Low	At Once	No	+1.5" / -4"
	TX	3.5	69	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 75	S	3.6	76	Low	At Once	No	+1.5" / -4"
	X	3.5	78	Low	At Once	No	+1.5" / -4"
	TX	3.0	79	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 85	S	3.2	89	Low	At Once	No	+1.5" / -4"
	X	3.2	90	Low	At Once	No	+1.5" / -4"
	TX	2.8	90	Low	At Once	No	+1.5" / -4"
							
Tensei 1K Pro White 60	S	3.8	60	Low	Exotic	Yes	+1.5" / -4"
	X	3.8	62	Low	Exotic	Yes	+1.5" / -4"
	TX	3.8	65	Low	Exotic	Yes	+1.5" / -4"
Tensei 1K Pro White 70	X	3.3	75	Low	Exotic	Yes	+1.5" / -4"
	TX	3.2	76	Low	Exotic	Yes	+1.5" / -4"
Tensei 1K Pro White 80	TX	2.7	86	Low	Exotic	Yes	+1.5" / -4"

							
Diamana WB 53	S	4.6	54	Low/Mid	Exotic	Yes	+1" / -4"
Diamana WB 63	S	3.1	61	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.1	63.5	Low/Mid	Exotic	Yes	+1" / -4"
Diamana WB 73	S	3.0	70	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.9	72	Low/Mid	Exotic	Yes	+1" / -4"

							
Diamana BB 53	R	4.9	50	Mid/High	Exotic	Yes	+1" / -4"
	S	4.9	52	Mid/High	Exotic	Yes	+1" / -4"
Diamana BB 63	R	3.2	60	Mid	Exotic	Yes	+1" / -4"
	S	3.2	61	Mid	Exotic	Yes	+1" / -4"
	X	3.2	62	Mid	Exotic	Yes	+1" / -4"
	TX	3.1	62	Mid	Exotic	Yes	+1" / -4"
Diamana BB 73	S	2.9	70	Mid	Exotic	Yes	+1" / -4"
	X	2.9	71	Mid	Exotic	Yes	+1" / -4"
	TX	2.9	72	Mid	Exotic	Yes	+1" / -4"

DRIVER & FAIRWAY SHAFTS

							
Diamana RB 63	R	3.3	59.5	Mid/High	Exotic	Yes	+1" / -4"
	S	3.2	62	Mid/High	Exotic	Yes	+1" / -4"
	X	3.2	63.5	Mid/High	Exotic	Yes	+1" / -4"
Diamana RB 73	S	2.8	73.5	Mid/High	Exotic	Yes	+1" / -4"
	X	2.8	74	Mid/High	Exotic	Yes	+1" / -4"

							
Fubuki MV 39	L	7.6	43	High	At Once	No	+1.5" / -4"
Fubuki MV 45	A	7.5	46	High	At Once	No	+1" / -4"
	R	7.0	47	High	At Once	No	+1" / -4"
	S	6.9	52	High	At Once	No	+1" / -4"
Fubuki MV FW 39	L	7.0	44	High	At Once	No	+2" / -4"
Fubuki MV FW 45	A	7.0	46.5	High	At Once	No	+2" / -4"
	R	5.8	47.5	High	At Once	No	+2" / -4"
	S	5.1	50.5	High	At Once	No	+2" / -4"

							
Devotion 6	R	3.6	66	Low	Exotic	Yes	+1" / -4"
	S	3.6	67	Low	At Once	Yes	+1" / -4"
	X	3.6	68	Low	Exotic	Yes	+1" / -4"

							
Kiyoshi Purple 65	S	3.5	69	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.5	70	Low/Mid	Exotic	Yes	+1" / -4"
Kiyoshi Purple 75	S	3.1	79	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.1	81	Low/Mid	Exotic	Yes	+1" / -4"

							
Kiyoshi Black 65	S	3.3	70	Low	Exotic	Yes	+1" / -4"
	X	3.3	72	Low	Exotic	Yes	+1" / -4"
Kiyoshi Black 75	S	2.9	80	Low	Exotic	Yes	+1" / -4"
	X	2.9	83	Low	Exotic	Yes	+1" / -4"

DRIVER & FAIRWAY SHAFTS

21

							
Kiyoshi White 65	S	3.1	66	Low	Exotic	Yes	+1" / -4"
	X	3.1	69	Low	Exotic	Yes	+1" / -4"

PROJECT X	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Denali Red 40	4.0	6.2	48	Mid/High	At Once	No	+1.5" / -4"
	5.0	5.9	52	Mid/High	At Once	No	+1.5" / -4"
Denali Red 50	5.5	5.4	53	Mid/High	At Once	No	+1.5" / -4"
	6.0	5.0	53	Mid/High	At Once	No	+1.5" / -4"
Denali Red 60	5.0	4.7	59	Mid/High	At Once	No	+1.5" / -4"
	5.5	4.5	60	Mid/High	At Once	No	+1.5" / -4"
	6.0	4.0	60	Mid/High	At Once	No	+1.5" / -4"

							
Denali Blue 50	5.5	4.2	57	Mid	Exotic	No	+1" / -4"
	6.0	4.1	58	Mid	Exotic	No	+1" / -4"
Denali Blue 60	5.5	3.9	64	Mid	Exotic	No	+1" / -4"
	6.0	3.7	65	Mid	Exotic	No	+1" / -4"
	6.5	3.5	65	Mid	Exotic	No	+1" / -4"
Denali Blue 70	6.0	3.1	73	Mid	Exotic	No	+1" / -4"
	6.5	3.0	73	Mid	Exotic	No	+1" / -4"

							
Denali Black 60	6.0	3.9	65	Low	At Once	No	+1" / -4"
	6.5	3.7	69	Low	At Once	No	+1" / -4"
	TX	2.5	65	Low	At Once	No	+1" / -4"
Denali Black 70	6.0	3.6	75	Low	At Once	No	+1" / -4"
	6.5	3.2	76	Low	At Once	No	+1" / -4"
	TX	2.4	74	Low	At Once	No	+1" / -4"

							
HZRDUS Black 5th Gen 60g	5.5	3.5	65	Low/Mid	At Once	No	+1.5" / -4"
	6.0	3.2	65	Low/Mid	At Once	No	+1.5" / -4"
	6.5	3.0	66	Low/Mid	At Once	No	+1.5" / -4"
	TX	2.7	67	Low/Mid	At Once	Yes	+1.5" / -4"

DRIVER & FAIRWAY SHAFTS

HZRDU Black 5th Gen 70g	5.5	3.4	71	Low/Mid	At Once	No	+1.5" / -4"
	6.0	3.1	72	Low/Mid	At Once	No	+1.5" / -4"
	6.5	2.9	74	Low/Mid	At Once	No	+1.5" / -4"
	TX	2.6	77	Low/Mid	At Once	Yes	+1.5" / -4"
HZRDU Black 5th Gen 80g	6.0	3.0	80	Low/Mid	At Once	No	+1.5" / -4"
	6.5	2.8	81	Low/Mid	At Once	No	+1.5" / -4"
	TX	2.5	85	Low/Mid	At Once	Yes	+1.5" / -4"

PROJECT X	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
New HZRDU T1100 HC 60	6.0	2.4	65	Low	Exotic	Yes	+1" / -4"
	6.5	2.3	67	Low	Exotic	Yes	+1" / -4"
New HZRDU T1100 HC 70	6.0	2.3	75	Low	Exotic	Yes	+1" / -4"
	6.5	2.2	77	Low	Exotic	Yes	+1" / -4"

							
HZRDU Red CB 40	4.0	6.5	47	Mid/High	At Once	Yes	+1.5" / -4"
HZRDU Red CB 50	5.0	5.9	51	Mid/High	At Once	No	+1.5" / -4"
	5.5	5.2	52	Mid/High	At Once	No	+1.5" / -4"
	6.0	4.8	52	Mid/High	At Once	No	+1.5" / -4"
HZRDU Red CB 60	5.0	4.9	58	Mid/High	At Once	No	+1.5" / -4"
	5.5	4.7	58	Mid/High	At Once	No	+1.5" / -4"
	6.0	4.4	59	Mid/High	At Once	No	+1.5" / -4"

							
HZRDU Smoke Blue RDX 60	6.0	3.4	64	Low	Exotic	Yes	+1" / -4"
	6.5	3.4	64	Low	Exotic	Yes	+1" / -4"
HZRDU Smoke Blue RDX 70	6.0	3.3	75	Low	Exotic	Yes	+1" / -4"
	6.5	3.3	75	Low	Exotic	Yes	+1" / -4"

							
Even Flow Riptide CB 50	5.5	4.9	54	Mid	Exotic	Yes	+1" / -4"
	6.0	4.9	55	Mid	Exotic	Yes	+1" / -4"
Even Flow Riptide CB 60	6.0	3.9	62	Mid	Exotic	Yes	+1" / -4"
	6.5	3.8	62	Mid	Exotic	Yes	+1" / -4"

							
Even Flow Riptide 50	5.5	5.4	53	Mid	Exotic	Yes	+1" / -4"
	6.0	5.4	53	Mid	Exotic	Yes	+1" / -4"
Even Flow Riptide 60	6.0	4.4	63	Mid	Exotic	Yes	+1" / -4"
	6.5	4.4	64	Mid	Exotic	Yes	+1" / -4"

VA COMPOSITES	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Drago 55	R	4.2	51	Mid	Exotic	Yes	+1" / -4"
Drago 65	S	3.3	62	Low	Exotic	Yes	+1" / -4"
	X	3.3	63	Low	Exotic	Yes	+1" / -4"
Drago 75	S	3.3	74	Low	Exotic	Yes	+1" / -4"
	X	3.3	77	Low	Exotic	Yes	+1" / -4"

							
Synyster 65	S	3.2	64	Low	Exotic	Yes	+1" / -4"
	X	3.0	66	Low	Exotic	Yes	+1" / -4"
Synyster 75	S	2.9	74	Low	Exotic	Yes	+1" / -4"
	X	2.7	76	Low	Exotic	Yes	+1" / -4"